

125
YEARS



Jubilee Promotion

Celebrate 125 days with us: January 1st – May 5th 2014



Malleable cast iron screw clamp TG



One-handed clamp EZS



Shape and straight cutting snips D27A

Jubilee Promotion




**Lightweight clamp made of magnesium
Light as a feather – tough as nails**



KliKlamp set Jubilee Edition

Promotion Order-No.	Content	Opening a mm	Throat depth b mm	Rail x mm	kg	Special offer*
	pc.					€+V.A.T.
KLISET12-125	2 x KLI12 (black)	120	80	20 x 5	0.70	24.70
KLISET16-125	2 x KLI16 (black)	160	80	20 x 5	0.80	25.30
KLISET20-125	2 x KLI20 (black)	200	80	20 x 5	0.87	26.00
KLISET25-125	2 x KLI25 (black)	250	80	20 x 5	0.95	27.30
KLISET30-125	2 x KLI30 (black)	300	80	20 x 5	1.10	28.40
KLISET40-125	2 x KLI40 (black)	400	80	20 x 5	1.40	30.10

- Clamping force up to 1,200 N (260 lbs)
- Feather light yet ultra strong
- Sturdy fixed and sliding arms made from lightweight magnesium
- Quick and vibration free clamping



* Craftsmen net purchasing prices in € plus V.A.T.



Original BESSEY malleable cast iron screw clamp TG with 2-component plastic handle or tried-and-true wooden handle

Promotion Order-No.	Opening a		Throat depth b	Rail x	⚖️	Special offer*
	mm	mm				
TG16-2K-A	160	80	25 x 6	0.66	12.20	
TG20-2K-A	200	100	27 x 7	1.05	16.90	
TG25-2K-A	250	120	29 x 9	1.53	20.50	
TG30-2K-A	300	140	32 x 10	2.19	25.70	
TG16-A	160	80	25 x 6	0.66	11.60	
TG20-A	200	100	27 x 7	1.05	16.20	
TG25-A	250	120	29 x 9	1.53	19.70	
TG30-A	300	140	32 x 10	2.19	24.60	

- Pressure plates can be replaced by hand – no tools required
- With protective caps on the clamping surfaces
- Stable profiled rail with serration
- BESSEY anti-slip system




Powerful rigid clamping by reinforced cast iron arms



One-handed clamp EZS

Promotion Order-No.	Opening a		Throat depth b	Spreading capacity e	Rail x	⚖️	Special offer*
	mm	mm					
EZS15-8-A	150	80	170-360	19 x 6	0.72	13.20	
EZS30-8-A	300	80	170-510	19 x 6	0.83	14.80	
EZS45-8-A	450	80	170-660	19 x 6	0.93	15.80	
EZS60-8-A	600	80	170-810	19 x 6	1.04	17.80	
EZS90-8-A	900	80	170-1110	19 x 6	1.26	20.10	

- Clamping force up to 2,000 N
- No tools required for spreading thanks to intelligent release mechanism in upper section
- Ergonomically shaped 2-component plastic handle behind the rail



Clamping and spreading with just one hand

Shape and straight cutting snips D27A

Promotion Order-No.	Overall length		Blade length		Sheet thickness max.	Product life expectancy	⚖️	Special offer*
	mm	"	mm	"				
D27A-A	260	10 ¼	33	1 ⅙	1.2	++	0.52	24.90
D27AL-A	260	10 ¼	33	1 ⅙	1.2	++	0.52	24.90



- For long continuous, straight and curved cuts
- Edges with micro-serrations for slip-proof working



A real "Allrounder" with double compound leverage

125
YEARS



Take part and win!

BESSEY celebrates 125th anniversary. To celebrate we are giving away special prizes in a sweepstake:

- 125 days running time
(Jan. 1st 2014 – May 5th 2014)
- 1 x 1. prize / 2 x 2. prize / 5 x 3. prize

How it works: You will find the sweepstakes on the web on <http://125.bessey.de/> or just scan the QR-Code.

BESSEY hopes you enjoy the participation and wishes good luck in the draw for the winner at the end of running time!

Sweepstakes



1. prize

FESTOOL

**Circular saw
TS 55 REBQ-Plus-FS**

- Slimline housing for maximum flexibility and close proximity to the wall (12 mm)
- Angle adjustment with undercut function from -1 to 47°
- Guide wedge for safer work and simple positioning in existing joint
- Transparent sliding viewing window provides a good view of the scribe mark and saw blade

- Precise circular in materials up to 55 mm thick
- Cutting interior doors to length using guide rail and circular saw
- Manufacturing expansion joints in parquet flooring and false joints
- Cutting chipboard to size
- Cutting and processing plasterboard

2. prize

STABILA®



**The LAX 200
crossed line laser**

- Innovative measurement technology for real professionals
- Ideal for inside work

- The casing in the U-shaped holder can be rotated through 360°. The complete room can be scanned.
- Self-levelling, ultra-sharp, long laser lines.
- STABILA anti-shocks system with impact-absorbent cover. Optimal protection for the casing also at corners and edges.



3. prize

**OMEGA screw clamp set and
Shape and straight cutting snips set**



- GM25Z-2K (Set of 2 pieces)
 - For wood and metal processing
 - Unique, patented OMEGA bend – low losses of clamping pressure, even when strong vibrations are present
- Shape and straight cutting snips D15A, small and manoeuvrable (Set of 3 pieces in practicable snips pouch)
 - For long continuous, straight and curved cuts
 - Very manoeuvrable; perfect for cutting small radii and in confined spaces
 - Highest performance with the minimum of effort



<http://www.bessey.de>



<https://www.facebook.com/BESSEY.Tool.Einfach.Besser>



<http://www.youtube.com/user/besseytoolsdeutsch>



<http://newsletter.bessey.de>

BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstr. 40
74321 Bietigheim-Bissingen, Germany
Fon +49 7142 401-0 ■ Fax +49 7142 401-452
E-Mail: info@bessey.de

Your dealer:



AMTE
ALL-ROUND MACHINERY AND TOOL COMPANY

Herelsestraat 175B • 4726 SR Heerle (N-Br)
T (+31) 0165 304188 • F (+31) 0165 304758
E info@amtc.eu • I www.amtc.eu